



Institute for Advanced
Composites Manufacturing Innovation
Technology Roadmap
PHASE 2



December 2016

Prepared by NEXIGHT GROUP

About this Roadmap

For half a century, fiber-reinforced polymer composites have enabled superior structural efficiency, environmental resistance, and design flexibility for a range of commercial and industrial applications. Reductions in cost, improvements in performance, and rising availability have stimulated the growth of composites and expanded their role beyond the aerospace industry. Today, composites are on the precipice of substantial commercial growth, and are regarded as a foundational technology needed to transition the United States into a clean energy economy.

The Institute for Advanced Composites Manufacturing Innovation (IACMI) led the development of this roadmap to guide the advancement and commercialization of low-cost, energy efficient composites for vehicles, wind turbines, and compressed gas storage applications. Supported by the US Department of Energy's Advanced Manufacturing Office, IACMI developed this roadmap with engagement from stakeholders from these respective industries to identify promising research, development, and demonstration efforts needed to reduce technology


implementation risk and develop a robust supply chain to support a growing advanced composites industry in the United States. The roadmap outlines the technology pathways to achieving its five-year technical goals: 25% reduction in carbon fiber-reinforced polymer (CFRP) cost, 50% reduction in CFRP embodied energy, and 80% recyclability or reuse into useful products. It is also important to note that this roadmap calls for research and development activities that are beyond IACMI's current scope, capabilities, and funded activities. These recommendations are intended to inform the entire composites industry and its supply chain by placing IACMI's activities into a broader, industry-wide context.

This roadmap was developed under the guidance of Uday Vaidya, Chief Technology Officer, IACMI, and members of the IACMI Technical Advisory Board. The composites manufacturing industry experts who made crucial contributions through phone interviews, workshop attendance, and roadmap reviews, are also identified in Appendix A of this report. Nexight Group supported the overall roadmapping process and prepared this roadmap.

Notice: This report was prepared as an account of work sponsored by an agency of the United States Government, and is the result of a collaborative effort between the Institute for Advanced Composites Manufacturing Innovation (IACMI), its members, and various representatives of the composites manufacturing industry. Neither the United States Government nor any agency thereof, nor any of their employees, nor IACMI, nor any of their employees, nor their members, nor their partner institutions makes any warranty, express or implied, or assumes any legal liability or responsibility for accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof. **This document does not constitute an official planning document or contractual document of IACMI or any of its affiliates.**

Table of Contents

Executive Summary	1
Roadmapping Strategy	7
Composite Materials and Processes	23
Modeling and Simulation	29
Compressed Gas Storage	33
Vehicles	37
Wind Turbines	43
Path Forward	49
Appendix A: Participants	51
Appendix B: Acronyms	55



1 Executive Summary

Transitioning the United States into a clean energy economy will require the widespread adoption of transformative technologies that save energy and reduce emissions. To accelerate progress toward this ultimate vision, the United States must invest in high-value, innovative research and development that bridges the gap between applied research and widespread commercialization.

The need for innovation is urgent, particularly as the Federal government drives new clean energy initiatives, including the goal to double renewable electricity generation by 2020 and regulatory action to increase fuel economy standards for automobiles by 2025. Fiber-reinforced polymer composites can be a key enabler of energy efficiency gains and emissions reductions. The cost-competitive, high-volume production of these materials can enable high-performance wind turbine blades in the power generation sector, automotive lightweighting, and improved compressed gas storage (CGS) tanks for alternative fuel vehicles in the transportation sector.

The Institute for Advanced Composites Manufacturing Innovation (IACMI) answers this call by providing the research-to-manufacturing infrastructure necessary to accelerate the transition of advanced


composites manufacturing technologies into the marketplace and facilitate the integration of innovative methodologies and practices across supply chains. IACMI is initially focused on three applications where advanced composites manufacturing can have significant national benefits: vehicles, compressed gas storage, and wind power. The Institute has set the following five/ten-year technical targets to demonstrate:

- 25%/50% lower carbon fiber-reinforced polymer (CFRP) manufactured cost
- 50%/75% reduction in CFRP embodied energy
- 80%/95% composite recyclability or reuse into useful products

This roadmap aggregates the collective views of IACMI stakeholders from the vehicles, compressed gas storage, and wind energy value chains, and identifies



Figure 1. Roadmapping Strategy



projects with the potential to accelerate the development and adoption of clean energy manufacturing technologies that enhance energy productivity, reduce lifecycle energy consumption, increase domestic production capacity, stimulate job growth, and encourage economic development.

Roadmapping Strategy

The strategy offered in this roadmap calls for coordinated research and development efforts among the five IACMI Technology Areas to achieve widespread adoption of fiber-reinforced polymer composites by 2020 and beyond. Industry-led projects, which will draw upon the resources from one or more of IACMI's Technology Areas, are organized by eight subtopics that cut across the five Technology Areas to address the full range of enabling technologies needed to meet the 5- and 10-year technical targets.

Path Forward

The low-cost, energy efficient production of advanced fiber-reinforced polymer

composites in vehicles, wind turbines, and CGS applications is expected to revitalize U.S. manufacturing and innovation and yield substantial economic and environmental benefits. The research and development activities identified in this roadmap will advance the state of composites manufacturing technologies, boost U.S. competitiveness and job growth, and promote the widespread adoption of high-performance composites. IACMI is enabling this vision through high-value research, development, and demonstration programs that reduce technical risk for manufacturers while training the next-generation composites workforce. Pursuing the activities identified in this roadmap will ultimately enable the insertion of advanced composites in the power generation and transportation sectors and help to transition the United States into a clean energy economy.

Figure 2. IACMI Technology Areas and Key Technical Objectives



Composite Materials and Processes

Focuses on reclaimed carbon fiber composite designs, NDE-based process controls, materials characterization approaches, novel additive manufacturing methods, and more efficient precursors and conversion processes.


Advance carbon fiber technologies via alternative precursors, efficient processes, and interface engineering

Demonstrate production of high value intermediates and composites from reclaimed carbon fiber

Apply NDE data to process design and control

Apply materials characterization capabilities to technology advancement and benchmarking

Apply additive manufacturing to reclaimed structural fiber fabrication and rapid prototyping



Modeling and Simulation

Focuses on educating and training the next-generation workforce to embrace composite design tools and methodologies, and successfully incorporating the multiphysics phenomena of manufacturing polymer composite materials and structures into simulation tools.

Provide access to advanced composites simulation tools across the supply chain

Demonstrate crash simulation tools and methods

Deploy phenomena-based composite simulation tools



Compressed Gas Storage

Focuses on factory automation techniques, predictive integrated computational materials engineering (ICME) approaches, conformal tank designs, toughened and recyclable thermoplastic tank designs, and methods that enable reductions in safety factors to reduce the amount of carbon fiber required in tank designs.

Focus on factory automation and lean manufacturing techniques

Demonstrate tough, recyclable thermoplastic tank designs using high-speed tow placement

Enable high-volume manufacture of conformal composite CGS tanks

Employ predictive ICME approaches for tank design, manufacture, and certification



Vehicles

Focuses on reducing composite manufacturing costs and improving recyclability through innovative design concepts, scalable fabrication processes, robust modeling and simulation tools, effective joining technologies, and reliable defect detection methods.

Explore innovative design concepts for automotive composites

Demonstrate high-rate, robust, and scalable fabrication processes

Develop robust modeling and simulation tools for reliable cost and performance predictions

Foster development of effective multimaterial joining technologies

Enable rapid and reliable detection of composite defects



Wind Turbines


Focuses on demonstrating recyclable thermoplastic resins, exploring segmented wind turbine designs, employing automation to reduce cost and labor content, and designing joinable pultruded wind turbine components.

Integrate advanced thermoplastic resins into current production processes

Increase automation of fiber placement and inspection technologies

Design modular wind turbine components for affordable transport and installation

Demonstrate pultruded composite wind turbine components



2 Roadmapping Strategy

This roadmap presents an integrated strategy to achieving widespread adoption of fiber-reinforced polymer composites by 2020 and beyond. The strategy highlights the need to coordinate research and development among the five IACMI Technology Areas toward the five- and ten-year technical targets of lower cost, reduced embodied energy, and increased recyclability of fiber-reinforced polymer composites.

Industry projects—led by OEMs or major suppliers—will draw upon the resources from one or more of IACMI’s Technology Areas to commercialize composite manufacturing technologies and feed market growth. To address the full range of enabling technologies, these efforts are organized by eight key cross-cutting subtopics. IACMI will tap into its network of economic and workforce development resources in order to support private sector investments to demonstrate and implement these new technologies while providing valuable training opportunities that foster a skilled manufacturing workforce.

Composite Materials and Processes

The widespread integration of high-performance composite materials can significantly reduce lifecycle energy consumption and emissions, but high-volume, large-scale product manufacturing will only be economically viable via cost reductions in carbon fibers and advancements to pervasive technologies including fast-curing resin systems, innovative recycling technologies, effective characterization methods, and process design and control solutions.

IACMI’s Composite Materials and Process Technology Area will focus on reclaimed carbon fiber composite designs, NDE-based process controls, materials characterization approaches, novel additive manufacturing methods, and more efficient precursors and conversion processes.

Wind Turbines

Today’s composite wind turbines—ordinarily made with thermosetting resins—are time-consuming to produce, economically challenging to recycle, and increasingly difficult to transport as blade lengths grow in size to capture more energy.

IACMI’S Wind Turbines Technology Area will focus on demonstrating recyclable thermoplastic resins, exploring segmented wind turbine designs, employing automation to reduce cost and labor content, and designing joinable pultruded wind turbine components.

Modeling and Simulation

Maintaining a digital product definition through the use of modeling and simulation tools is a foundational methodology for designing, manufacturing, and sustaining composite products across all application areas.

IACMI’s Design, Modeling, and Simulation Technology Area will focus on educating and training the next-generation workforce to embrace composite design tools and methodologies, and successfully incorporating the multiphysics phenomena of manufacturing polymer composite materials and structures into simulation tools.

Vehicles

Rising fuel economy standards—which aim to reduce emissions and improve energy security—are compelling automakers to seek vehicle mass reduction opportunities through the integration of lightweight materials such as fiber-reinforced composites.

IACMI’S Vehicles Technology Area will seek to reduce manufacturing costs and improve recyclability through innovative design concepts, scalable fabrication processes, robust modeling and simulation tools, effective joining technologies, and reliable defect detection methods.

Compressed Gas Storage


Composite materials can help meet the growing demand for compressed natural gas (CNG) vessels—and eventually hydrogen storage tanks—as a low-emissions alternative to gasoline and diesel, but widespread adoption of composite Type IV CGS tanks will require significant cost reductions.

IACMI’S Compressed Gas Storage Technology Area will focus on factory automation techniques, predictive ICME approaches, conformal tank designs, tough and recyclable thermoplastic tank designs, and methods that enable reductions in safety factors to reduce the amount of carbon fiber required in tank designs.

Overview of Cross-Cutting Subtopics

In this roadmap, IACMI’s technical activities are organized by eight key subtopics that cut across the five Technology Areas. These subtopics aim to capture the full range of enabling technologies needed to maximize progress against the 5- and 10-year IACMI technical targets of cost, energy, and waste reduction for composites manufacturing technologies. As IACMI makes decisions about

Figure 3. Roadmapping Strategy





which projects to pursue each programmatic year, these subtopics will help to ensure the integration of technical activities across the five Technology Areas.

Additive Technologies

Additive technologies—which are finding greater use in composites manufacturing—can be used to produce parts with greater complexity with fewer assembly steps and less material waste. One of the growing trends for composites is the use of additive manufacturing techniques to produce mold tools for forming composite parts, including on-demand lay-up tools, master patterns, and water-soluble washout mandrels. Conventional processes for making metal-based mold tools tend to require many steps between design and final transport to a part producer, which can take several months. In some cases, these long lead times exceed the pace at which users develop next-generation composite part designs, which then requires a redesign of the mold tools. Additive manufacturing technologies are solving this problem by helping manufacturers rapidly produce polymer-based composite mold tools.

The composites manufacturing industry is also using additive approaches to fabricate fiber-reinforced composites. For example, Big Area Additive Manufacturing (BAAM), which removes the limitations of printer working size, can be used to repurpose reclaimed chopped carbon fibers. Though this process has been used to demonstrate the feasibility of 3D-printed vehicles, composite-based additive manufacturing techniques at commercial scales will require practical design-for-manufacturability tools, simulation suites, reduced processing times, and processing enhancements to enable z-direction property improvements.

Crashworthiness & Repair

When manufacturers develop safety-critical or high-value products, they must prove the crashworthiness and practical repairability of their assemblies. In this case, crashworthiness refers to a structure's ability to absorb the energy of a collision in a safe, controlled manner; and repairability is the ability to accurately evaluate damage and to restore a damaged product or component to acceptable working condition. While

manufacturers must first be concerned with the safety and well-being of product users, assessing a structure's crashworthiness and repairability can also minimize the number of costly, time-consuming physical tests needed before broad commercialization, and can extend the usable life of a product.

The ability to assess crashworthiness and repairability is complicated by the inherent complexity of composite materials structures. Composites have complex fracture and fatigue mechanisms due to the combination of brittle fibers with ductile matrices. As a result, external damage to composite structures may not always be visible. Current methods for manual repair of composites are expensive, time-consuming, and subject to human error. As composites gain increased acceptance among manufacturers, particularly for vehicle lightweighting, the composites manufacturing industry must develop novel materials testing and characterization standards to support model validation efforts and improve the accuracy of predictive simulation. Opportunities to improve the cost, speed, and safety of composite repair approaches include automated repair technologies; repair acceptability standards; and the deployment of rapid, low-cost NDE tools for industry technicians.

Design, Prototyping, and Validation

Design, prototyping, and validation are integral to turning conceptual designs into high-performance components, such as composite structures, and verifying that these components meet their intended product requirements. These product development steps rely on a robust understanding of material limits, processing capabilities, principles of mechanical design, and best manufacturing practices to optimize the safety, reliability, and performance of a system.

Due to the large number of composite design variables and the lack of performance-based standards, it is difficult for designers to accelerate materials selection and characterization testing efforts and take full advantage of the properties and performance characteristics of composites. Additionally, the anisotropy—or direction-dependent properties—of composites requires designers to subject prototypes to extensive testing to define a structure's propensity to failure propagation. To minimize costs, mitigate implementation risks, and reduce the overall duration of product development, the composites industry must develop standardized test methods and material properties for as-manufactured composite parts, conduct sensitivity analyses of representative components to quantify and control process variability, and identify application-specific composites design rules that enable iterative feedback loops between designers and engineers.

Multimaterial Joining

Manufacturers use multimaterial design approaches to selectively integrate new materials, such as high-performance fiber-reinforced composites, into components without imposing significant technology implementation risk. Whether the design objective is to reduce weight or add functionality, joining dissimilar materials is an increasingly critical issue faced by manufacturers across industries and application areas.

Multimaterial joining is an imperative design consideration for promoting the widespread adoption and integration of composites in critical applications. Each joining approach—including adhesive bonding, mechanical fastening, or a combination—offers unique challenges, requiring designers to carefully evaluate the impact of each on product safety, manufacturability, cost, repairability, recyclability, and performance. Though adhesive bonding of composites often enables weight reduction and lower part

count, it is difficult to properly verify bonding integrity. While mechanical fastener designs are generally easier to repair and disassemble, the cutting, machining, and bolting of composite parts may induce stress concentrations and delamination risks. To advance composite joint design for the broad manufacturing community, the composites industry should develop robust inspection techniques, novel joining and assembly processes, reliable lifetime performance prediction methods, and experimentally validated design tools.

Nondestructive Evaluation

Nondestructive evaluation (NDE) is an essential inspection step that helps manufacturers improve processing cost and quality, reduce waste, and assess feasibility of new processing approaches. Newer materials and innovative designs for enhancing product performance—including those with advanced composites—are creating a constant demand for novel NDE inspection methods, state-of-the-art instrumentation, and skilled inspectors capable of synthesizing and interpreting measurement data. Boosting confidence in NDE inspection results across the supply chain is crucial to realizing cost and energy reductions in composites manufacturing environments.

The broad manufacturing community, however, currently lacks robust NDE data on known composite defect types and sizes, which are essential to assuring the integrity and long-term reliability of structural composites. Additionally, the absence of dependable NDE design acceptance criteria combined with inadequate sensitivity of composite inspection methods precludes the ability to rapidly detect defects and void levels—a critical need for high-volume production of composite materials. While NDE for

composites will benefit from technological advancements, novel inspection strategies, and new characterization standards, one of the most promising opportunities identified by the composites manufacturing community is the integration of NDE with simulation models and in-line process controls. This integrated approach allows manufacturers to improve manufacturing efficiencies through real-time diagnosis of part variance and helps support product design improvements by feeding predictive simulation models.

Recycling

Manufacturers are designing next-generation technologies with novel and increasingly complex combinations and formulations of materials, such as fiber-reinforced composites, that can be difficult to recycle using current practices. Few manufacturers are economically or logistically equipped with the infrastructure to reuse in-plant composites scrap, especially cured or partially cured composites and dry, unused fiber reinforcements. Since recycled chopped carbon fiber costs 70% less to produce and up to 98% less energy to manufacture than virgin carbon fiber, recycling technologies could create new markets from the estimated 29 million pounds of composite scrap sent to the country's landfills annually.

While thermoplastic polymer matrices of fiber-reinforced composites are remeltable and can be reprocessed into discontinuous-fiber composite products, thermoset polymers are more challenging to recycle due to their non-reversible chemistries. Pyrolysis is used to remove the matrices of these materials, but the risk of thermal degradation to the fibers often compromises their mechanical properties. To prevent manufacturing scraps and end-of-life products from reaching landfills, the manufacturing community requires new design methodologies, waste stream logistics, and innovative separation and remanufacturing technologies that enable the recycle and reuse of products.



Reinforcements, Resins, Additives, and Intermediates

The materials that make up composites are generally categorized into four main constituents: reinforcements, resins, intermediates, and additives. Resins are the array that binds reinforcements (i.e., fibers) to create a composite material with properties that are superior to either constituent on its own. Additives are used to alter a resin's characteristics, such as viscosity, flexibility, fatigue resistance, energy absorption, electrical or thermal conductivity, and curing rate; and intermediate forms are reinforcements with more complex architectures, such as sandwich core materials, fabrics, braids, preforms, or prepregs.

Advanced techniques for manufacturing reinforcements, resins, additives, and intermediates, as well as optimized combinations of these components, could reduce composites manufacturing costs and energy consumption and improve component performance and recyclability. While the extensive variety of constituent materials creates infinite design possibilities, it also makes it difficult to create a set of industry-accepted standard-grade materials. Although unproven, the concept of "virtual" allowables would be a game-changer for the composites manufacturing industry by allowing design engineers to virtually generate allowables data while replacing a number of physical tests.

Standardization & Qualification

Standards are consensus-developed specifications that describe how a material can be designed, fabricated, tested, and characterized; and qualification practices verify the performance of materials for a given application by generating a statistical basis for material acceptance and quality control. Despite the critical importance of standards and qualification practices in ensuring material quality and reliability, there is currently a lack of industry-accepted standards and qualification practices in the composites field.

To establish standards for composites, the composites manufacturing industry must produce robust materials performance data, which is currently challenging due to the complexity of composite types (fabric, prepreg, film, etc.), sensitivity of fiber alignment, and a lack of reliable tools to extrapolate material properties from coupon-level to full assembly. Without the right processes and tools in place, qualification testing can also be expensive and time-consuming for manufacturers to incorporate into their operations. Focused efforts to create performance-based specifications, develop decision tools for composites, and share knowledge across the value chain will streamline the development and procurement of new composite materials and lower the cost and risk of implementing them into new applications.

Figure 4. Priority R&D Activities

Composite Materials and Processes

Targets addressed:  Recyclability  Cost  Energy





Figure 4. Priority R&D Activities (cont.)

Modeling and Simulation

Targets addressed:  Recyclability  Cost  Energy



Compressed Gas Storage




Figure 4. Priority R&D Activities (cont.)

Vehicles

Targets addressed:  Recyclability  Cost  Energy





Figure 4. Priority R&D Activities (cont.)





3 Composite Materials and Processes

The widespread integration of high-performance composite materials in vehicles, wind turbines, and CGS applications can significantly reduce lifecycle energy consumption and emissions. High strength-to-weight ratio, exceptional durability, and directional properties are some of the key benefits that make composite materials a valued choice for high-performance products across multiple markets and industries.

Yet, high-volume, large-scale production will only be economically viable with lower-cost carbon fibers and advancements to pervasive technologies including fast-curing resin systems, innovative recycling technologies, effective characterization methods, and process design and control solutions.

Key Technical Objectives

IACMI's Composite Materials and Processes Technology Area will support the industrialization of advanced composites by developing cutting edge manufacturing

technologies for vehicles, wind turbines, and CGS application areas. As part of an integrated approach to facilitate the transition of innovative composite manufacturing technologies to U.S. industry, IACMI will pursue activities with its partners that accomplish the following cross-cutting objectives.


Advance carbon fiber technologies via alternative precursors, efficient processes, and interface engineering

Researchers are examining alternative precursors and processing approaches to engineer carbon fiber materials that yield superior final part properties at reduced production energy levels. Low energy conversion processes, such as microwave- and plasma-based conversion technologies,

are of particular interest to the composites manufacturing community.

To reduce the cost and energy requirements of carbon fiber materials, IACMI will pursue efforts that include establishing lab-scale test methods to match

Priority R&D Activities: Composite Materials and Processes



efficient composite manufacturing processes, determining process-specific final part properties of composites, and evaluating bio-fiber blending as a low-cost fiber option.

Demonstrate production of high-value intermediates and composites from reclaimed carbon fiber

Products made from recovered discontinuous carbon fibers demand a fraction of the energy needed to produce virgin material with only minor reductions in mechanical properties. The development of carbon recycling technologies and recovery methods to reuse carbon fiber scrap represents an enormous opportunity for energy, waste, and cost reduction.

Although the end-of-life recycling infrastructure for composite materials remains underdeveloped, IACMI will pursue several activities to advance the state of recycling technologies and recovery methods which include conducting injection overmolding projects that use recycle long-fiber thermoplastics, developing accurate cost models for different recycling techniques, demonstrating prototypical production of components that use recycle materials, evaluating thermal value propositions of recycling waste streams, and characterizing molded parts made with recycled carbon fiber.

Apply NDE data to process design and control

NDE methods and technologies provide critical manufacturing data through in-line diagnostics, structural health monitoring, and traditional end-of-line product inspection. When coupled with advanced data analytics, manufacturers can close the loop around NDE information and process decision making to effectively reduce waste, processing variability, manufacturing costs, and processing time. NDE can also play a major role in the collection, sorting, classification, reclamation, and reuse of scrap or spent materials.

IACMI will support efforts across the other technology areas by creating effective NDE training programs across the supply chain, conducting critical pilot demonstrations of various NDE technologies, designing multiscale and multiphysics data analytics for process monitoring and material state diagnostics, and establishing inspection techniques and criteria for cost-effective joint evaluation.

Apply materials characterization capabilities to technology advancement and benchmarking

Characterization tools, such as microscopy, spectroscopy, X-ray and neutron radiography, are broadly used for measuring composite structural characteristics and behavior. These tools critical enabling technologies throughout the product development process including model validation, NDE,


crashworthiness evaluation, and qualification testing.


Using world-class characterization capabilities to advance the state of composite manufacturing technologies, IACMI will work with industry partners to develop new characterization approaches for setting data standards, support crash model development and crashworthiness demonstration efforts, conduct independent materials testing and data sharing, and develop characterization protocols for constructing accurate materials models.

Apply additive manufacturing to reclaimed structural fiber composites fabrication and rapid prototyping

The use of additive technologies in composites manufacturing offers a high-rate, low-cost alternative to traditional toolmaking approaches, and shows promise as an effective processing method for printing composite structures from reclaimed structural fibers. Additive approaches have the potential to significantly reduce composite toolmaking lead times and increase the recovery and reuse of structural carbon fibers.

IACMI and its industry partners will advance the state of additive technologies for composites manufacturing by considering projects that include benchmarking existing additive processes, and improving the wear resistance of composite additive tooling.





4 Modeling and Simulation

Maintaining a digital product definition through the use of modeling and simulation tools is a foundational methodology for designing, manufacturing, and sustaining composite products across all application areas. Modeling and simulation tools help designers predict structural behavior, reduce production steps, optimize design, and manage product testing and prototype development for composite products.

Lifecycle prediction is essential for reducing the cost of composites manufacturing, and accelerating innovation throughout the entire supply chain.

Key Technical Objectives

Advancing the state of composites manufacturing simulation relies on two major aspects: educating and training the next-generation workforce to embrace composite design tools and methodologies, and successfully incorporating the multiphysics phenomena of manufacturing polymer composite materials and structures into simulation tools.

IACMI's Design, Modeling, and Simulation Technology Area (DMS TA)—which offers modeling and simulation tools to help the composite manufacturing industry

shorten the development cycle for composite products—is providing educational opportunities to graduate students by exposing them to commercial crash simulation tools. To attain cost reductions, energy efficiency improvements, and greenhouse gas reductions for the composites manufacturing community, IACMI's DMS TA will consider key R&D activities each programmatic year around the following research objectives.

Provide access to advanced composites simulation tools across the supply chain

Platforms that host and integrate commercial software tools are crucial for members of the supply

chain that have little to no access to comprehensive simulation tools. Users can significantly reduce costs and shorten product development lifecycles by using such platforms to conduct end-to-end process simulations, carry out highly complex simulations on off-site supercomputers, and correlate predicted and real-world data across length scales.

Hosted by IACMI, the Composites Virtual Factory HUB is a secure, browser-platform that accelerates product development by providing members with access to commercial simulation tools for solving design, manufacturing, and performance issues of composite materials. Activities that support the objectives of cvfHUB and ultimately increase knowledge transfer across the supply chain include holding training workshops on composite design and assembly methodologies, establishing

test methods to generate model validation data for increased prediction confidence, integrating cost models into shared platforms, and hosting database that successfully link material properties to end-use performance.

Demonstrate crash simulation tools and methods

Simulating crashworthiness reduces the risk associated with integrating composites into product designs and helps manufacturers remain compliant with safety standards and crash performance requirements. Increasing confidence in crash performance predictions effectively reduces the number of costly, time-intensive qualification tests required to substantiate composite structural designs—especially for vehicle lightweighting.

Several activities to advance the state of crash simulation tools and methods for the composites manufacturing industry include teaching best practices of designing and optimizing composites for crashworthiness, identifying representative composite components to demonstrate and improve crash models, and standardizing test methods to support model validation and increased crash prediction accuracy.

Deploy phenomena-based composite simulation tools


Optimizing product design requires that simulation tools account for the multiphysics phenomena involved in composites manufacturing, including curing, flow, melting, solidification, heat transfer, fiber orientation, and


several others. Multiple composite manufacturing phenomena, which collectively dictate performance characteristics, can be captured by integrating several commercial simulation tools into comprehensive suites to maximize the impact on cost, energy, and waste reduction targets.

Phenomena-based integrated tool suites will continue to provide significant advantages for the composites manufacturing community by addressing a range of activities such as validating existing modeling and simulation tools for various processes and production scales, assessing variability of end-to-end process simulations, increasing user-friendliness of tools, and developing additive manufacturing process models.

Priority R&D Activities: Modeling and Simulation

Targets addressed:   
Recyclability Cost Energy





5 Compressed Gas Storage

Composite materials can help meet the growing demand for compressed natural gas (CNG) vessels—and eventually hydrogen storage tanks—as a low-emissions alternative to gasoline and diesel. The widespread adoption of composites in Type IV storage tanks will require significant cost reductions through improved materials and manufacturing methods.

Key Technical Objectives

Carbon fiber composites represent the greatest percentage of Type IV tank costs, but low-cost carbon fibers suitable for CGS tanks have not yet been developed. To achieve cost reduction goals of 30% by 2018 and 50% by 2020, IACMI will pursue factory automation techniques as well as design and manufacturing methods that enable tougher, more robust resin systems and tank designs that reduce the amount of carbon fiber required in CGS tank designs by enabling a reduction in safety factor from 2.25 to 1.5. IACMI and its industry partners will achieve cost, energy, and waste reductions by focusing on the following objectives.

Focus on factory automation and lean manufacturing techniques

Automation strategies are crucial to permitting high-volume production of composite CGS tanks. They increase productivity, reduce variability, eliminate waste, and are vital to reducing the cost of Type IV storage tanks.

A number of different activities can improve the composite CGS tank automation infrastructure such as standardizing materials characterization tests for effective qualification at increasing automation scales, developing techno-economic models to quantify the cost benefits of automation, and innovative NDE techniques for end-to-end data

collection to optimize automation steps and product quality.

Demonstrate tough, recyclable thermoplastic tank designs using high-speed tow placement

Compared with epoxy matrix resins, thermoplastic resins offer greater damage tolerance in CGS tank applications. When used in towpregs, thermoplastics could facilitate higher winding rates and more consistent material quality. By improving manufacturing and assembly methods and advancing automation technologies, thermoplastic composites could significantly reduce scrap rates compared with other composite fabrication approaches.

Facilitating the development of thermoplastic composite CGS tanks requires efforts that include developing crashworthiness and repair acceptability standards along with associated cost models, characterization methods to qualify novel composite CGS tanks, relate coupon-level test data to CGS tank performance to rapidly screen new resins and intermediate forms, and validation protocols for accelerated aging tests to increase confidence in performance predictions.

Enable high-volume manufacture of conformal composite CGS tanks

Composite-wrapped conformable tanks can solve the dimensional fuel storage issues associated with cylindrical CGS tanks on alternative fuel vehicles. Improving design and

manufacturing approaches for low-cost, non-cylindrical composite CGS tanks could significantly impact the transportation sector.


Some of the approaches needed to realize conformal composite CGS tank production at large scales will require rapid additive tooling solutions to fabricate tank liners and support structures, new characterization methods and testing standards to validate models and qualify novel composite tank architectures, and techno-economic cost models to quantify and reduce tank manufacturing and assembly costs.

Employ predictive ICME approaches for tank design, manufacture, and certification

Through simulation of fiber placement, cure kinetics, and other aspects of composite manufacturing processes, advanced computational models help accelerate product development for key CGS applications by predicting product performance. As confidence increases in performance predictions, manufacturers can effectively reduce prototyping and qualification testing efforts, resulting in lower embodied energies and costs of CFRP storage tanks.

Efforts to improve the accuracy of predictive design approaches include demonstrating composite manufacturing processes to validate predictive analysis tools, generating and sharing key materials properties to inform process models, and assessing variability in end-to-end process simulations.

Priority R&D Activities: Compressed Gas Storage





6 Vehicles

Rising fuel economy standards—which aim to reduce emissions, improve energy security, and boost the economy—are compelling automakers to maximize vehicle mass reduction opportunities through the integration of fiber-reinforced composites. However, their implementation is constrained by high costs, long production times, unreliable joinability, low recyclability, and an underdeveloped supply chain.

Key Technical Objectives

Traditional composites manufacturing technologies for vehicles offer either high volume manufacturing or significant weight savings, but not both. Using a multi-faceted approach to achieve reductions in cost, embodied

energy, and recyclability, the IACMI Vehicles Technology Area will work with industry on projects that accomplish the following overarching objectives.

Explore innovative design concepts for automotive composites

The shape, properties, and functionalities of composites can be fully customized for designing vehicles, but automakers must ensure that composites enable mass reduction without sacrificing safety, performance, and quality.

IACMI's Vehicles Technology Area will produce innovative vehicle design concepts by addressing

activities such as facilitating round-robin studies that compare composites joint and interface designs for various assembly methods, establishing design optimization approaches for manufacturability and recyclability, validating composite crash simulation models, and creating techno-economic analyses of automotive composite parts

to provide manufacturers with design, prototyping, and validation examples.

Demonstrate high-rate, robust, and scalable fabrication processes


The widespread commercialization

of low-cost, energy-efficient composites will require the development of fabrication techniques that are reliable and scalable to high-volume production rates in the automotive sector.

To enable robust and scalable manufacturing approaches for automotive composites, IACMI will focus on activities such as

Priority R&D Activities: Vehicles

Targets addressed:  Recyclability  Cost  Energy



collaborating with OEMs on cycle time and weight savings targets, and demonstrating high-volume fabrication processes including prepreg compression molding, high-pressure resin transfer molding (HP-RTM), and hybrid molding.

Develop robust modeling and simulation tools for reliable cost and performance predictions

Process modeling and crash simulations are essential for vehicle lightweighting as they can considerably reduce the cost and product development time of fiber-reinforced composite structures. Boosting the adoption rate of high-performance automotive composites strongly relies on making these tools more accurate and reliable for predicting manufacturing costs and decreasing the risk of technology implementation.

Improving the accuracy and reliability of modeling and simulation tools for automotive applications requires a range of activities including assessing variability in end-to-end simulated

manufacturing processes, conducting accelerated tests and validating models with experimental data, incorporating composite joint designs in crashworthiness models, and sharing key materials properties to inform simulation efforts.

Foster development of effective multimaterial joining technologies

Multimaterial joining technologies help automakers gradually introduce composite components into vehicles as a way to reduce risk when lightweighting. This compels the need for joining technologies that reliably permit composites implementation without comprising the structural integrity of the vehicle.

To enable the development of effective composite joining technologies, IACMI will consider activities that include designing tools for predicting service life of dissimilarly bonded materials, advancing interfacial inspection and quantification methods for evaluating bond integrity and uniformity, and developing case studies on successful multimaterial joining efforts.

Enable rapid and reliable detection of composite defects

As automotive composites reach higher-volume production rates, there will be a critical need for NDE procedures and technologies—for both in situ and post-build inspections—that can rapidly and reliably detect structural flaws. These key enabling technologies are indispensable for reducing manufacturing costs, ensuring quality, and encouraging the broad acceptance of composites within the automotive industry.

Ensuring that NDE technologies keep up with the pace of composite manufacturing innovation will require activities including generating end-to-end inspection data to confirm long-term reliability of structural composites, establishing go/no-go criteria for conducting in situ inspections, providing training opportunities on NDE techniques, and developing techno-economic models for assessing various composite NDE approaches.





7 Wind Turbines

Fiber-reinforced polymer composites have been a major enabler of the growth of the wind energy industry, helping to reduce greenhouse gas emissions from power generation. Despite continued growth in U.S. wind energy capacity, composite production processes remain labor-intensive, and innovations are needed to lower the cost of wind energy, improve the reliability of existing thermoset-based composite wind turbine technologies, and enable the entry of thermoplastic-based composite wind turbine technologies.

Key Technical Objectives

Today's composite wind turbines—ordinarily made with thermosetting resins—are time-consuming to produce, economically challenging to recycle, and increasingly difficult

to transport as blade lengths grow in size to capture more energy.

To reduce costs, improve quality, and increase the recyclability of composite wind turbine technologies, IACMI's Wind Turbines Technology Area will oversee activities that target the following objectives.

Integrate advanced thermoplastic resins into current production processes

Due to their exceptional strength and fatigue properties,

thermosetting resin matrices make up the vast majority of wind turbines. Although thermosetting resins are not out of scope for the development of innovative wind turbine technologies, thermoplastics have shorter cycle times and are more suitable for recycling. Increasing the


use of thermoplastics for wind turbine components requires a variety of activities, including developing of novel in situ polymerization methods to improve thermoplastic fatigue performance, demonstrating large-scale jointed blade designs, standardizing sizes, properties, and test methods, and

establishing design-for-recyclability methods that rely on lifecycle analysis in wind turbine blade design and manufacture.

Increase automation of fiber placement and inspection technologies

Priority R&D Activities: Wind Turbines

Targets addressed:  Recyclability  Cost  Energy



Automation can alleviate time-consuming NDE inspection techniques during pre-production as well as the costly labor content involved in wind turbine fabrication. In addition to reducing cost and production cycle time, automation can make wind turbines safer, more reliable, and more efficient.

IACMI will increase the use of automation in fiber placement and NDE technologies through projects that include conducting techno-economic analyses of labor costs via automated tape laying (ATL) and automated fiber placement (AFP) methods, developing in-process NDE methods for high-throughput wind turbine fabrication, and establishing links between simulation efforts and manufacturing demonstrations of ATL and AFP technologies.

Design modular wind turbine components for affordable transport and installation

Lowering the cost of wind energy requires significant increases in the scale of wind turbine blades

and towers, but these larger sizes make transportation logistically difficult. In addition to simplifying construction while reducing transportation costs, segmented wind turbine components can mimic palm trees through load alignment and effectively reduce cantilever forces at dangerous wind speeds to lower risk of catastrophic damage.

To enable segmented wind turbines, IACMI will consider activities such as investigating novel joint spar design concepts, generating experimental data to enhance life performance predictions for jointed composites, enhancing in-field blade manufacturing and assembly approaches, employing low-cost additive tooling methods to reduce blade manufacturing lead times, and developing prototypes to validate the cost and performance of modular wind turbine designs.

Demonstrate pultruded composite wind turbine components

The use of pultruded carbon fiber sheet materials for wind turbine

elements like blade spar caps can enable larger, lighter rotors with higher capacities for capturing energy. Pultruded carbon fiber composites, which are ideal for modularized wind turbine design, can reduce the risk of wrinkle defects, increase blade quality, reduce labor content, and decrease overall cycle times.

IACMI will work with its industry partners to advanced readily joinable pultruded composites by investigating lightweight carbon fiber jointed spar design concepts that facilitate self-aligning, developing low viscosity resins and preforms suitable for pultrusion processes, and conducting techno-economic analyses for the evaluation of pultruded composite prototypes.





8 Path Forward

Commercializing technologies for low-cost, energy efficient manufacturing of advanced fiber reinforced polymer composites for vehicles, wind turbines, and CGS applications could unleash significant economic and environmental benefits and help to revitalize U.S. manufacturing and innovation.

IACMI is committed to this future, and is actively catalyzing industry efforts across its Technology Areas to develop a robust supply chain, reduce technical risk for manufacturers, and foster the next-generation composites workforce. Applied research and development efforts (focusing on Technology Readiness Levels [TRL] 4-7) are already underway to realize the initial five-year targets of cost, energy, and recyclability, but success depends upon healthy participation of the composites manufacturing community and a continuous stream of projects to feed the pipeline of

innovation. Even after the five-year technical targets are met, efforts to commercialize cutting-edge composites manufacturing must persist as IACMI has already set its sights on aggressive ten-year targets.

America's role as a global leader in advanced manufacturing and clean energy technologies is at stake. The composites industry, with IACMI's leadership, must embrace the research and development activities in this roadmap to strengthen U.S. manufacturing competitiveness, prosperity, and security.

A Appendix: Participants

Nadia Abunasser
Michigan Economic
Development Corporation

Doug Adams
Vanderbilt University

Randy Adams
Cincinnati Incorporated

Robert Adams
IAC Group

Jim Ahlgrim
U.S. Department of Energy

Daniel Allman
Composites Consulting

Doug Anton
Dupont

Jawed Asrar
Johns Manville

Mark Aubart
Arkema Inc.

Sudarsanam Babu
University of Tennessee

Steve Bassetti
Michelman

Derek Berry
IACMI

Jing Bi
Dassault Systemes
Simulia

Kristen Bloschock
Lockheed Martin

Craig Blue
IACMI

Jarrold Blue
IACMI

Ray Boeman
MSU-ORNL

Eric Boettcher
Honda R&D Americas, Inc.

Raymond Bond
Vanderbilt University

Guillermo Borges
Automated Dynamics

Mohamed Bouguettaya
BASF

Douglas Bradley
Plasan Carbon
Composites

Fabio Bressan
Cytec Solvay Group

Ross Brindle
Nexight Group

Erin Brophy
IACMI

Dale Brosius
IACMI

Billyde Brown
Georgia Tech
Manufacturing Institute

Larry Brown
LIFT

Miles Brown
Strongwell

Mike Bryant
BGF Industries

Yang Cao
Faurecia Automotive
Exteriors

Craig Carson
Jeco Plastic Products

Suzanne Cole
American Chemistry
Council, Plastics Division

Eric Coleman
DowAksa

Tracy Colwell
Lockheed Martin

Michael Connolly
Huntsman Polyurethanes

Mel Cossette
National Resource Center
for Materials Technology
Education

Daniel Coughlin
American Composites
Manufacturers
Association

Joe Cresko
U.S. Department of
Energy, Advanced
Manufacturing Office

Tod Dalrymple
DS SIMULIA

Claus Daniel
Oak Ridge National
Laboratory

Sujit Das
Oak Ridge National Lab

Ravi Deo
U.S. Department of
Energy

Jim deVries
JdV Lightweight
Strategies

John Dorgan
Colorado School of Mines

Tom Drye
Techmer ES

Lawrence Drzal
IACMI

Michael Duffey
SSOE Group

Randy Duvall
Sandia National Labs

Cliff Eberle
IACMI

Richard Fields
Lockheed Martin

Scott Fisher
SABIC
Joe Fox

Ashland Performance
Materials

Peter Fritz
Eaton

Patrick Fullenkamp
Great Lakes WIND
Network (GLWN)

Dan Fuller
Celanese

Umesh Gandhi
Toyota Research Inst, NA

John Gangloff
U.S. Department
of Energy, Fuel Cell
Technologies Office

Charles Gelfand
Continental Structural
Plastics

Ben Green
Cytec Solvay Group

Probir Guha
Continental Structural
Plastics

Mahmoodul Haq
Michigan State University

Adam Harms
Huntsman Advanced
Materials

Charles Hill
Local Motors

Greg Hildeman
Nexight Group

Jill Hill
IACMI

David Hills
Airbus Americas Inc.

Scott Holmes
Highland Composites

John Hopkins
IACMI

Dan Houston
Ford Motor Company

Tao Huang
Dupont

Tom Hughes
PolyOne

Dickson Hugus
Lockheed Martin

Marc Imbrogno
Mar-Bal, Inc.

Allan James
Dow Automotive Systems

Richard Jameson
Ingersoll Rand

Chris Janke
Oak Ridge National
Laboratory (ORNL)

**Krishnamurthy
Jayaraman**
Michigan State University

Ratan Jha
Mississippi State
University

David Johnson
PARC

Stephen Johnson
General Electric

David Koester
Vanderbilt University

Jared Kosters
Nexight Group

Amit Kulkarni
SABIC

Vlastimil Kunc
Oak Ridge National
Laboratory (ORNL)

Wilson Lee
Plasmatrete

Sarah Lichtner
Nexight Group

Christine Longroy
Society of Manufacturing
Engineers

Z. John Ma
Department of Civil
and Environmental
Engineering

Hendrik Mainka
Volkswagen Group of
America Inc.

Jan-Anders Manson
Purdue University

Javed Mapkar
Eaton

Matthew Marks
SABIC

Walter Maruszczak
Sumitomo Chemical

Rob Maskell
Cytec Solvay Group

Timothy McCarthy
Engadin Ventures LLC

Jeffrey McCay
Composite Applications
Group

Sandra McClelland
American Chemistry
Council

Megan McCluer
U.S. Department of
Energy, Office of Energy
Efficiency and Renewable
Energy

Michael McNab
Lockheed Martin

Greg Mellema
U.S. Army Prototype
Integration Facility

Jim Mirabile
Luna Innovations

Marianne Morgan
BASF

Felix Nguyen
Toray Composites

Haibin Ning
University of Alabama at
Birmingham
Bob Norris
Oak Ridge National
Laboratory

Steve Nunez
U.S. Department of
Energy, Advanced
Manufacturing Office

Gina Oliver
American Chemistry
Council, Automotive
Plastics Division

Laraine Owens
IACMI

Lindsay Pack
Nexight Group

Steve Parsons
Lockheed Martin
Aeronautics

Robin Pate
IACMI

Dayakar Penumadu
University of Tennessee

Richard Peters
SABIC

Edward Pilpel
Polystrand, Inc.

R. Byron Pipes
IACMI

Leonard Poveromo
Composite Prototyping
Center

George Racine
American Chemistry
Council, Plastics Division

Raymond Rawlinson
University of Dayton
Research Institute

James Reddy
BASF

Brian Rice
IACMI

Michael Rich
Michigan State University

Rani Richardson
Dassault Systemes

Jeff Robacki
The Dow Chemical
Company

Ron Rogers
e-Xstream Engineering

Carl Rousseau
Lockheed Martin

Dan Rozelman
Hennecke, Inc.

Brian Said
Lockheed Martin

Jan Sawgle
Dupont

Robert Schmitz
e-Xstream Engineering

Rob Seats
Ashland

Khaled Shahwan
Fiat Chrysler Automobiles
(FCA)

Jim Sherwood
University of
Massachusetts Lowell

Stephen Sikirica
U.S. Department of
Energy, Advanced
Manufacturing Office

Tim Smith
Plasmatrete USA

David Snowberg
NREL

Dustin Souza
MSC Software

Rick Spears
Tru-design

Andy Stecher
Plasmatrete USA

Ned Stetson
U.S. Department
of Energy, Fuel Cell
Technologies Office

Jim Stike
Materials Innovation
Technologies, LLC

Jared Stonecash
University of Dayton
Research Institute

Tara Storage
Air Force Research
Laboratory

Brent Strong
Utah Advanced Materials
and Manufacturing
Initiative (UAMMI)

Bill Stry
Harper International

Changwon Suh
Nexight Group

Steve Szaruga
University of Dayton
Research Institute

Mahmood Tabaddor
UL LLC

Sassan Tarahomi
International Automotive
Components

Jeffrey Thompson
Mafic

Paul Thompson
Jeco Plastic Products

Katie Thorp
Air Force Research
Laboratory

Patti Tibbenham
Ford Motor Company

Burak Uzman
Coriolis Composites

Uday Vaidya
IACMI

Nikhil Verghese
SABIC

Kelly Visconti
U.S. Department of
Energy

Daniel Walczyk
Rensselaer Polytechnic
Institute

Alex Walk
SGL Carbon Fibers

Mark Weinberg
Dupont

Matt Weisenberger
University of Kentucky

Andrew White
Centrus Energy

Patrick White
Nexight Group

Geoffrey Wood
Composite Recycling
Technology Center

Katie Woslager
Office of Economic
Development and
International Trade

Tim Wybrow
Cytec Solvay Group

Robert Yancey
Altair Engineering

Richard Yen
Altair Engineering

Wenbin Yu
Purdue University

Ed Zenk
Ashland



B Appendix: Acronyms

AFP	automated fiber placement	IACMI	Institute for Advanced Composites Manufacturing Innovation
AM	additive manufacturing	I-CAR	Inter-Industry Conference on Auto Collision Repair
ASTM	American Society for Testing and Materials	ICME	integrated computational materials engineering
ATL	automated tape laying	IIHS	Insurance Institute for Highway Safety
BAAM	big area additive manufacturing	ISO	International Organization for Standardization
CAE	computer-aided engineering	KBS	knowledge-based system
CAFE	Corporate Average Fuel Economy	LIFT	Lightweight Innovations for Tomorrow
CF	carbon fiber	NDE	nondestructive evaluation
CFRP	carbon fiber reinforced polymer	NDI	nondestructive inspection
CGS	compressed gas storage	NIAR	National Institute for Aviation Research
CMH-17	Composite Materials Handbook-17	OEM	original equipment manufacturer
CNG	compress natural gas	ORNL	Oak Ridge National Laboratory
CTE	coefficient of thermal expansion	R&D	research and development
cvfHUB	Composites Virtual Factory HUB	SHM	structural health monitoring
DFM	Design for Manufacturability	SRS	software requirements specifications
FDM	fused deposition modeling	TRL	Technology Readiness Level
HP-RTM	high-pressure resin transfer molding		

